



ENERGY STAR PROJECT SPECIFICATIONS



Builder		Subdivision	
Contact Name		Homeowner	
Office Number		Home Address	
Office Fax		City / Zip	
Mobile Number		Plan Number	
Insulation	Recommendations	This Project will use:	
Walls	R-Value: R-13 to R-19		
Ceilings	R-Value: R-30 to R-38		
Vaulted Ceilings	R-Value: R-22 to R-30		
Radiant Barrier	Yes, factory applied to roof deck	<input type="checkbox"/> Yes <input type="checkbox"/> No	
Windows	Recommendations	Single Hung:	Horizontal Slider:
Manufacturer	Energy Star Labeled		
U-Factor	U = 0.40 or less		
Shading Coefficient	SHGC = 0.40 or less		
Low-E?	Yes	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> No	
Mechanical	Recommendations	HVAC #1:	HVAC #2:
Size / tons	Verify ACCA Manual J loads		
Central A/C	EER 11.5 / SEER 14		
Furnace	AFUE 90		
Heat Pump	HSPF 8.2 / EER 11.5 / SEER 14		
Ducts	R-Value: R-8		
Location	In conditioned space	<input type="checkbox"/> Attic <input type="checkbox"/> Inside home <input type="checkbox"/> Attic <input type="checkbox"/> Inside home	
Water Heater	Recommendations	Water Heater #1:	Water Heater #2:
Type and Fuel	<input type="checkbox"/> Tank type <input type="checkbox"/> Tankless	<input type="checkbox"/> Electric <input type="checkbox"/> Gas <input type="checkbox"/> Electric <input type="checkbox"/> Gas	
Min. Energy Factor	EF ≥ .65 Gas & EF ≥ .91 Electric		
Gallon Capacity		Gallons: <input type="text"/>	Gallons: <input type="text"/>
Location	In non-conditioned space	<input type="checkbox"/> Attic <input type="checkbox"/> Garage <input type="checkbox"/> Inside <input type="checkbox"/> Attic <input type="checkbox"/> Garage <input type="checkbox"/> Inside	
Bill to:			